AME	NDMENT OF SOLICITATION	N/MODIFICATION OF	- CO	NTRACT	I. Contract Number	Page of Pages
	ndment/Modification Number	3. Effective Date			rchase Request No.	1 9
			1	requisitorar u	chase nequest No.	5. Solicitation Caption
			1			
GF-20 6. Issue	13-B-0090-001	January 28, 2013	<u> </u>			Landscape and Lawn Services
0. 15506	эч бу.	Code	_	7. Administer	ed By (If other than line	e 6)
Univer	sity of the District of Columbia			University o	the District of Colur	mbia
	Procurement Division			Capital Con	struction Division	
Washii	Connecticut Avenue, NW, Building ngton, DC 20008	38, Room C04		4200 Conne	cticut Avenue, NW,	Building 38, Room C04
8. Nam	e and Address of Contractor (No. Stre	et, city, country, state and 7	IP Co	Washington	9A. Amendment of	0.15-16-16-16-16-16-16-16-16-16-16-16-16-16-
	,	- if the first the control of the co	00	- F	GF-2013-B-009	
					X 9B. Dated (See Iten	
				<u> </u>	January 17, 2013	
					10A. Modification of	Contract/Order No.
				ľ	10B. Dated (See Ite	m 13)
	Code	Facility			ŀ	•
The	above numbered solicitation is amended	11. THIS ITEM ONLY APPL	IES T	O AMENDME	NTS OF SOLICITATIO	NS
One	its must acknowledge receipt of this a	mendment prior to the hour :	nour a and d	nd date specified in	ed for receipt of Offers the solicitation or as:	X is extended. is not extended.
10110	ming interrious, (a) by completing item	is 8 and 15, and returning		1 convi	of the amendment: (b)	Dispolation and the activity
ame	indment on each copy of the offer sub	mitted; or (c) By separate le	tter or	fax which incl	udes a reference to the	a colinitation and
PRI	OR TO THE HOUR AND DATE SPEC	FIED MAY RESULT IN RE	D BE F	RECEIVED AT	THE PLACE DESIGN.	ATED FOR THE RECEIPT OF OFFERS i this amendment you desire to change
	no. anoday bublinted, such change i	nav de made by letter or fax.	. provi	ded each lette	r or tologram makes w	this amendment you desire to change
<u> </u>	itation and this amendment, and is re-	Ceived prior to the opening h	our a	nd date specif	ed.	Sololide to the
12. ACCC	unting and Appropriation Data (If Req	uired)				
	13. TI	HIS ITEM APPLIES ONLY T	ОМС	DIFICATIONS	OF CONTRACTS/OF	RDERS
		T MODIFIES THE CONTRAC	CT/OF	RDER NO. AS	DESCRIBED IN ITEM	14
	A. This change order is issued pursua The changes set forth in Item 14 are n	nt to: (Specify Authority)			· · · · · · · · · · · · · · · · · · ·	
7	B. The above numbered contract/orde	r is modified to reflect the ac	dminis	em 10A. trative change	s (such as changes in	noving office annualistics
	rate, etc.) set fortil in item 14, pursuar	nt to the authority of 8 DCMF	₹. Cha	ıpter 30. Secti	on 3062.	paying office, appropriation
- 1	C. This supplemental agreement is en	tered into pursuant to author	rity of:			
	O. Other (Specify type of modification	and authority)	_			
. IMPOI			ın this	document an	d return 1	copy to the issuing office.
4. Desci	ription of amendment/modification (Or	ganized by UCF Section hea	adings	, including sol	icitation/contract subje	ct matter where feasible.)
olicita	tion No.: GF-2013-B-0090 for L	andscape and Lawn S	ervic	es is hereb	/ amended as folio	MA'S'
) A sec	cond Pre-Bid Conference and S	Site Visit has been sche	edule	d for 11:00	am, Thursday, Jan	uary 31, 2013. All prospective
Blade	ers snall meet at 4200 Connect	licut Avenue, NW, Build	ding (39, 3rd Floo	r, Large Board Ro	om:
) The E	Bid Opening date is hereby cha	anged from 2:00pm, Tue	esda	y, February	5, 2013 to 2:00pm	n, Tuesday, February 12, 2013;
) ine (JDC Van Ness Campus Outdo	or Maintenance Plan fo	or Pla	za Deck (A	ttachment A):	
) Attac	hment J.1.8; Van Ness Campu	is Layout is hereby rem	ovec	and replac	ed with Revised V	an Ness Campus Lavout
(Attac	chment B).			•		200 200 200 200 200 200 200 200 200 200
) All ot	ner Terms and Conditions rema	ain the same.				
A Nam	e and Title of Signer (Type or print)		-			
·· ·· · · · · · · · · · · · · · · · ·	o and this of oligher (Type or print)				ontracting Officer	
			13	herry Jones	-curasnia	
B. Nam	e of Contractor	15C. Date Signed	1 16	B. District of (Columbia	100 0-1-01-1
B. Nam	e of Contractor	15C. Date Signed	d 16	B. District of (Colombia	16C. Date Signed
iB. Nam	e of Contractor (Signature of person autho		d 16	Sh. District of Co.	Colombia	

ATTACHMENT A

UDC Van Ness Campus Outdoor Maintenance Plan

Description of outdoor campus


The main plaza is located directly over the campus parking garage. In 2012, a hot fluid applied waterproofing system was installed on the concrete deck, including all building expansion joints. As part of this effort an entire stormwater management system for the site was installed, including pipes, drains, and storage treatment facility. In addition, to reduce the weight load on the deck most planting areas have 18"-24" of soil on top of varying thicknesses of geo-foam fill (See image above).



The contractor is advised to proceed with caution when digging or excavating soil.


Vehicular access

Vehicular access around the plaza is limited to the area shown in the plan below: This area is contained by a series of vehicular barriers including: planter walls and curbs, bollards, landscape berms, and fountains. The vehicular areas can be used as staging grounds as approved by UDC



General Grounds Maintenance

- 1. The contractor shall provide the necessary care for plants including;
 - a. Monitor plants throughout the year
 - b. Pruning trees and shrubs at adequate times throughout the year depending on species.
 - Prune, thin, and shape trees, shrubs, and vines according to standard professional horticultural and arboricultural practices. Unless otherwise indicated by UDC, do not cut tree leaders. Remove only injured, dying, or dead branches from trees and shrubs; and prune to retain natural character.
 - Do not apply pruning paint to wounds.
 - c. Deadhead plants in early spring as required
 - d. Plant removal and replacement -If plant material dies remove with hand tools only; do not grind stumps of trees. Replace in kind upon approval from UDC
 - e. Fertilization Fertilize as required to maintain healthy plant material (Refer to DDOE recommended application rates). Due to shallow nature of planting beds, regular monitoring and testing of soil is required (minimum twice a year).
 - f. Irrigation Underground water service is provided throughout the planting beds of the main plaza (Blue dots on the map below). The water is provided from the utility room (Star on map below) between building 41 and building 44. Contractor shall water all plants sufficiently using hoses at least once a week for the first year in typical weather conditions a typical watering rate is an average of 1 inch per week. Contractor shall monitor and record rainfall to prevent over watering. Water at least once a month after the plants have been established more frequent watering may be required in times of drought or noticeable signs of stress.




2. Planting Beds

- a. Edging A defined edge shall be maintained between turf and mulched planting areas
- b. Weeding Do not use chemical weed killer. Weed invasive plants by hand make sure roots are removed as well. Weeding in the Garden Deck will include the lifting of the aluminum frames to access the plants. Make sure the frames are installed properly after the weeding is completed.
- c. Mulching Mulch in early spring and in late fall. Maintain 3 inches of organic shredded hardwood mulch throughout.
- d. Remove dead leaves and trash from planting beds on a weekly basis.

3. Pest Management

- a. Monitor and treat as required.
- 4. The contractor shall provide the necessary lawn services including;
 - a. Fertilize/Lime
 - b. Mowing, edging, and trimming (Mowers shall be limited to commercial grade walk behind mowers or smaller.)
 - c. Aerating
 - d. Seeding
- 5. Winter Clean Up
 - a. Rake leaves in early winter to prevent leaf build up and turf from dying. Contractor shall monitor regularly and complete cleanup as necessary.

PAVEMENTS



1. The following are the 2 foot by 2 foot Hanover Prest Pavers (In Yellow on the map above) used

on the plaza (Note that these pavers are 2"thick placed on pedestals and cannot support vehicular traffic.):

- a. Black- Matrix #M2960
- b. Grey- Matrix #M2402
- c. Red- Matrix #M2659
- d. Yellow Matrix #M2918



- 2. The following are the 1 foot by 1 foot Hanover Prest Pavers (In **Green** on the map above) used on the plaza (note that these pavers are 3" thick placed either on an aggregate leveling layer or on mortar):
 - a. Black- Matrix #M2960
 - b. Grey- Matrix #M2402
 - c. Red- Matrix #M2659
 - d. Yellow Matrix #M2918






- 3. Snow Removal
 - a. Pavers on pedestals (non-vehicular traffic)
 - Use hovel with rubber tip
 - Use walk behind snow blower with rubber or nylon tip, no chains on tires
 - b. Pavers on Aggregate
 - Standard plow with rubber tip may be used
 - No chains on tires

- c. De-icing Material
 - Use First Step De-icing material manufactured by North American Salt Company (or any material approved by UDC), once weather has subsided rinse pavers clean. Do not let de-icing material sit on pavers for prolonged periods of time.
 - Do not use Sodium Chloride or Calcium Chloride
- 4. Common Stain/Debris Removal
 - a. Chewing Gum
 - Option 1: Apply small amount of dry ice then scrape off with a putty knife
 - Option 2: Apply 100% pure citrus degreaser directly to gum marks and scrape off
 - b. Grease from food drippings
 - Apply general concrete paver cleaner, follow manufacturer's instructions
- 5. Maximum weight loads
 - a. Pavers on aggregate
 - Motor vehicles allowed.
 - · Can accommodate fire trucks.
 - b. Pavers on Pedestals 900 lbs per paver maximum
 - No motorized vehicles allowed.
 - Walk behind mowers may be allowed on pavers to access turf areas on deck.
 - When using dollies with metal, plastic or small hard rubber wheels, use plywood
 path to distribute load more evenly across paver to eliminate concentrated load
 point and possibility of wheels rolling on edges of pavers.

ATTACHMENT B



University of the District of Columbia Office of the VP for Facilities, Real Estate, & Public Safety / Capital Construction Office



Title: Landscaping Solicitation - Van Ness Campus - 4200 Connecticut Ave NW (Rev 1)

Date Issued: 1/24/13

Drwn By: